

CLAIM LISTING

1-12. (Canceled)

13. (Currently Amended) A computer program product, comprising:

a computer-readable memory device; and

computer-readable program code segments, stored on the computer-readable memory device, for:

receiving, at a client having a local cache, input related to a request for content of a web page, the request including an address for the web page; and

in response to receiving the input:

determining, at the client, that there is content associated with the web page in the local cache;

~~when there is content associated with the web page in the local cache,~~ inserting, at the client, a unique identifier into the address; and

transmitting the request with the inserted unique identifier to a server.

14. (Previously Presented) The computer program product of claim 13, further comprising:

computer-readable program code segments, stored on the computer-readable memory device, for determining whether the received input comprises either an event requesting a currently-displayed web page to be refreshed or an event requesting navigation to a previously-displayed web page.

15-31. (Canceled)

32. (Currently Amended) A method, comprising:

receiving, at a client having a local cache, input related to a request for content of a web page, the request including an address for the web page; and

in response to receiving the input:

determining, at the client, that there is content associated with the web page in the local cache;

~~when there is content associated with the web page in the local cache,~~ inserting, at the client, a unique identifier into the address; and

transmitting the request with the inserted unique identifier to a server.

33. (Previously Presented) The method Claim 32, wherein determining whether there is content associated with the web page in the local cache comprises:

determining whether the received input comprises either an event requesting a currently-displayed web page to be refreshed or an event requesting navigation to a previously-displayed web page.

34-35. (Canceled)

36. (Previously Presented) The computer program product of Claim 13, wherein the address includes a Universal Resource Locator ("URL") to content of at least a portion of a web page.

37. (Previously Presented) The computer program product of Claim 13, wherein the address includes a query string, the unique identifier being appended to the address in the query string.

38. (Previously Presented) The computer program product of Claim 13, wherein the unique identifier includes a random number.

39. (Previously Presented) The computer program product of Claim 13, wherein the unique identifier includes a time stamp.

40. (Previously Presented) The computer program product of Claim 13, wherein the unique identifier comprises an alpha-numeric representation.

41. (Previously Presented) The method of Claim 32, wherein the address includes a Universal Resource Locator ("URL") to content of at least a portion of a web page.

42. (Previously Presented) The method of Claim 32, wherein the address includes a query string, the unique identifier being appended to the address in the query string.

43. (Previously Presented) The method of Claim 32, wherein the unique identifier includes a random number.

44. (Previously Presented) The method of Claim 32, wherein the unique identifier includes a time stamp.

45. (Previously Presented) The method of Claim 32, wherein the unique identifier comprises an alpha-numeric representation.

46. (Currently Amended) A method, comprising:

receiving, at a client, input related to a request for content of a web page, the request including an address for the web page; and

in response to receiving the input:

determining, at the client, whether to transmit the request to a server regardless of whether there is content associated with the address in a local cache; and

if the determination is to transmit the request to a server regardless of whether there is content associated with the address in a local cache:-

inserting, at the client, a unique identifier into the address; and

transmitting the request, with the inserted unique identifier, to a server.

47. (Previously Presented) The method of Claim 46, wherein the address includes a Universal Resource Locator ("URL") to content of at least a portion of a web page.

48. (Previously Presented) The method of Claim 46, wherein the address includes a query string, the unique identifier being appended to the address in the query string.

49. (Previously Presented) The method of Claim 46, wherein the unique identifier includes a random number.

50. (Previously Presented) The method of Claim 46, wherein the unique identifier includes a time stamp.

51. (Previously Presented) The method of Claim 46, wherein the unique identifier comprises an alpha-numeric representation.